


# Temposonics®

Magnetostrictive Linear Position Sensors



## MH-Series Analog - Threaded version Product Brief

- ▶ Stroke length up to 2500 mm
- ▶ With M18×1.5 thread
- ▶ Sensor rod with Ø 7 mm or Ø 10 mm
- ▶ Rugged to withstand off-highway shock and vibration
- ▶ M12 connector or cable output



The Temposonics® MH-Series sensors are specifically designed for direct stroke measurement in hydraulic cylinders. The MH Threaded sensor extends the rugged design of the Temposonics® MH-Series sensors to external threaded installations. A MTS M12 connector system ensures protection to IP69K. The inherent absolute capabilities ensure that the MH Threaded sensor is always ready. With two connection styles, the responsive magnetostrictive linear position sensors can be integrated into most installations.

### TYPICAL APPLICATIONS

Temposonics® MH Threaded sensors can be used in applications where access is available from the outside of the cylinder. Example applications include lift and tilt cylinders, hydraulic jacks, and hydraulic steering systems in agricultural and construction machinery.

## Features

Measured value	Position
Output	Analog (Voltage / Current)
Resolution	±0.1 mm
Stroke length	50...2500 mm
Rod	7 mm / 10 mm
EMC	2009/64/EG Road vehicles 2009/19/EG Agricultural and Forest machines ISO 14982 Emissions/Immunity ISO 7637-1/2 Transient Impulses ISO / TR 10605 Electrostatic Discharge (E.S.D.)
Connection type	M12 connector (IP69K with mating M12 connector) or cable output (IP69K)
Operating voltage	12 / 24 VDC (8...32 VDC)

## Connection styles



### Document Part Number:

551836 Revision B (EN) 01/2017

## LOCATIONS

**USA**  
**MTS Systems Corporation**  
**Sensors Division**  
 3001 Sheldon Drive  
 Cary, N.C. 27513, USA  
 Tel. +1-919-677-0100  
 Fax +1-919-677-0200  
 info.us@mtssensors.com  
 www.mtssensors.com

**JAPAN**  
**MTS Sensors Technology Corp.**  
 737 Aihara-machi,  
 Machida-shi,  
 Tokyo 194-0211, Japan  
 Tel. +81-42-775-3838  
 Fax +81-42-775-5512  
 info.jp@mtssensors.com  
 www.mtssensors.com

**FRANCE**  
**MTS Systems SAS**  
 Zone EUROPARC Bâtiment EXA 16  
 16/18, rue Eugène Dupuis  
 94046 Creteil, France  
 Tel.: +33-1 58 43 90 28  
 Fax: +33-1 58 43 90 03  
 info.fr@mtssensors.com  
 www.mtssensors.com

**GERMANY**  
**MTS Sensor Technologie**  
**GmbH & Co. KG**  
 Auf dem Schüffel 9  
 58513 Lüdenscheid, Germany  
 Tel. +49-23 51-95 87 0  
 Fax +49-23 51-5 64 91  
 info.de@mtssensors.com  
 www.mtssensors.com

**CHINA**  
**MTS Sensors**  
 Room 504, Huajing Commercial Center,  
 No. 188, North Qinzhou Road  
 200233 Shanghai, China  
 Tel: +86-21 6485 5800  
 Fax: +86-21 6495 6329  
 info.cn@mtssensors.com  
 www.mtssensors.com

**ITALY**  
**MTS Systems Srl.**  
**Sensor Division**  
 Via Camillo Golgi, 5/7  
 25064 Gussago (BS), Italy  
 Tel.: +39-030 988 38 19  
 Fax: +39-030 982 33 59  
 info.it@mtssensors.com  
 www.mtssensors.com

## LEGAL NOTICES

MTS, Temposonics and Level Plus are registered trademarks of MTS Systems Corporation in the United States; MTS SENSORS and the MTS SENSORS logo are trademarks of MTS Systems Corporation within the United States. These trademarks may be protected in other countries. All other trademarks are the property of their respective owners. Copyright © 2017 MTS Systems Corporation. No license of any intellectual property rights is granted. MTS reserves the right to change the information within this document, change product designs, or withdraw products from availability for purchase without notice. Typographic and graphics errors or omissions are unintentional and subject to correction. Visit [www.mtssensors.com](http://www.mtssensors.com) for the latest product information.

**ISO 9001**  
 CERTIFIED

